


# WALL HYDRANT



## 8602-HC

NON-FREEZE GROUND HYDRANT W/ 3/4" NPT INLET, BRONZE CASING, BRONZE HEAD, HOT & COLD VALVES, NYLON SEAT, NEOPRENE PLUNGER AND 3/4" HOSE CONNECTION.



CATALOG NUMBER	DEPTH "L" (FEET)	WEIGHT (LBS)
<input type="checkbox"/> 8602-HC-L2	2 FT	17.0
<input type="checkbox"/> 8602-HC-L3	3 FT	16.0
<input type="checkbox"/> 8602-HC-L4	4 FT	18.0
<input type="checkbox"/> 8602-HC-L5	5 FT	20.0
<input type="checkbox"/> 8602-HC-L6	6 FT	22.0

### OPTIONS

Suffix	Description
<input type="checkbox"/> 88	COPPER SWEAT CONNECTION
<input type="checkbox"/> 89	VACUUM BREAKER
<input type="checkbox"/> 175	NICKEL BRONZE BOX W/ HINGED LID (BOX IS 5" DEEP IF VACUUM BREAKER IS SPECIFIED)


AutoCad.dwg

# WALL HYDRANT



8602-HC

TYPICAL INSTALLATION W/ BOX




# WALL HYDRANT



8602-HC

TYPICAL INSTALLATION W/O BOX



AutoCad.dwg