

# IAPMO RESEARCH AND TESTING, INC.

5001 East Philadelphia Street, Ontario, California 91761-2816 • (909) 472-4100 Fax (909) 472-4244 • www.iapmo.org



## CERTIFICATE OF LISTING

IAPMO Research and Testing, Inc. is a product certification body which tests and inspects samples taken from the supplier's stock or from the market or a combination of both to verify compliance to the requirements of applicable codes and standards. This activity is coupled with periodic surveillance of the supplier's factory and warehouses as well as the assessment of the supplier's Quality Assurance System. This listing is subject to the conditions set forth in the characteristics below and is not to be construed as any recommendation, assurance or guarantee by IAPMO Research and Testing, Inc. of the product acceptance by Authorities Having Jurisdiction.

Effective Date: May 2013

Void After: May 2014

Product: Cast Iron Pipe Gaskets (Neoprene)

File No. 0391

Issued To: Tyler Pipe Company  
11910 Country Road 492  
Tyler, TX 75710-2027

Identification: Manufacturer's name or trademark, nominal pipe size and class (NH for no hub, SV for service weight, XH for extra heavy), country of origin, ASTM C564, year of manufacture, and UPC® certification mark.

Characteristics: Preformed neoprene insert type gaskets joint for use with hub and spigot cast iron soil pipe and fittings or hubless cast iron soil pipe and fittings. After the gasket is inserted into the hub or fitting and the pipe or fitting spigot is forced through it, a tight joint is formed which is maintained under pressure. The 8" and larger sizes must be restrained when used in horizontal positions above ground. To be installed with IAPMO listed pipe and fittings in accordance with the manufacturer's instructions and the latest edition of the Uniform Plumbing Code.

Products listed on this certificate have been tested by an IAPMO R&T recognized laboratory. This recognition has been granted based upon the laboratory's compliance to the applicable requirements of ISO/IEC 17025.

Products are in compliance with the following code(s):  
Uniform Plumbing Code (UPC®)

  
Chairman, Product Certification Committee

  
CEO, The IAPMO Group

For the most accurate and updated information please visit <http://pld.iapmo.org/0391>

This listing period is based upon the last date of the month indicated on the Effective Date and Void After Date shown above. Any change in material, manufacturing process, marking or design without having first obtained the approval of the Product Certification Committee, or any evidence of non-compliance with applicable codes and standards or of inferior workmanship, may be deemed sufficient cause for revocation of this listing. Production of or reference to this form for advertising purposes may be made only by specific written permission of IAPMO Research and Testing, Inc. Any alteration of this certificate could be grounds for revocation of the listing.





# IAPMO RESEARCH AND TESTING, INC.

## CERTIFICATE OF LISTING

Page 2

Void After: May 2014

Product: Cast Iron Pipe Gaskets (Neoprene)

File No. 0391

Issued To: Tyler Pipe Company

International Plumbing Code (IPC®)

Products are in compliance with the following standard(s):

ASTM C564-2012 (excluding Annex A1)



# IAPMO RESEARCH AND TESTING, INC.

## CERTIFICATE OF LISTING

Page 3

Void After: May 2014

Product: Cast Iron Pipe Gaskets (Neoprene)

File No. 0391

Issued To: Tyler Pipe Company

### MODELS:

2", 3", 4", 5", 6", 8", 10", 12" & 15"

EZ-TIGHT: 2", 3", 4", 5", 6", 8", 10", 12" & 15"